No. 9200019

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Minnesota Agricultural Experiment Station

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. THE UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'Leslie'

In Testimony Whereof, *I have hereunto set my hand and caused the seal of the* Plant Variety Protection Office *to be affixed at the City of* Washington, D.C. *this* 30th *day of* October *in the year of our Lord one thousand nine hundred and* ninety-two.

Attest:

Kenneth A. Evans
Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Edward Madigan
Secretary of Agriculture

FORM APPROVED: OMB 0581-0055, Expires 1/31/91

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions on reverse)

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S) *(as it is to appear on the Certificate)*
Minnesota Agricultural Experiment Station

2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO.
M83-108

3. VARIETY NAME
Leslie

4. ADDRESS *(street and no. or R.F.D. no., city, state, and ZIP)*
University of Minnesota
220 Coffey Hall
1420 Eckles Avenue
St. Paul, MN 55108

5. PHONE *(Include area code)*
(612) 625-4211

FOR OFFICIAL USE ONLY

PVPO NUMBER
9200019

FILING
Date: Nov. 14, 1991
Time: ☐ A.M. ☐ P.M.

FEES RECEIVED
Filing and Examination Fee: $2150.—
Date: Nov. 14, 1991
Certificate Fee: $250.—
Date: Oct. 5, 1992

6. GENUS AND SPECIES NAME
Glycine max

7. FAMILY NAME *(Botanical)*
Leguminosae

8. CROP KIND NAME *(Common Name)*
Soybean

9. DATE OF DETERMINATION
November 7, 1990

10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION *(Corporation, partnership, association, etc.)*
State Experiment Station

11. IF INCORPORATED, GIVE STATE OF INCORPORATION

12. DATE OF INCORPORATION

13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS
J.H. Orf, Department of Agronomy and Plant Genetics
University of Minnesota, 411 Borlaug Hall
1991 Upper Buford Circle
St. Paul, MN 55108

PHONE *(Include area code)*:

14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED *(Follow INSTRUCTIONS on reverse)*

a. [X] Exhibit A, Origin and Breeding History of the Variety.
b. [X] Exhibit B, Novelty Statement.
c. [X] Exhibit C, Objective Description of Variety.
d. [ ] Exhibit D, Additional Description of Variety.
e. [X] Exhibit E, Statement of the Basis of Applicant's Ownership.
f. [X] Seed Sample (2,500 viable untreated seeds). Date Seed Sample mailed to Plant Variety Protection Office _____
g. [X] Filing and Examination Fee ($2,150) made payable to "Treasurer of the United States."

15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? *(See section 83(a) of the Plant Variety Protection Act.)*
[X] YES *(If "YES," answer items 16 and 17 below)* [ ] NO *(If "NO," skip to item 18 below)*

16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?
[X] YES [ ] NO

17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED?
[X] FOUNDATION [X] REGISTERED [X] CERTIFIED

18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.?
[ ] YES *(If "YES," through* [ ] Plant Variety Protection Act [ ] Patent Act. Give date: _____ .)
[X] NO

19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKETED IN THE U.S. OR OTHER COUNTRIES?
[ ] YES (If "YES," give names of countries and dates)
[X] NO

20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable.

The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in section 41, and is entitled to protection under the provisions of section 42 of the Plant Variety Protection Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF APPLICANT *(Owner(s))*	CAPACITY OR TITLE	DATE
	Associate Director	11/4/91
SIGNATURE OF APPLICANT *(Owner(s))*	CAPACITY OR TITLE	DATE

Exhibit A

9200019

Origin and Breeding History of Leslie Soybean

'Leslie' traces to the F_4 progeny of an F_3 plant that had been selected from an F_3 progeny row. The F_3 progeny row traces to an F_2 plant that had been selected from an F_2 population from the cross Hodgson 78 x Pella. Bulked seed of the F_4 row was designated M83-108 and was used for yield testing in the F_5 (1984). Subsequent tests of strain M83-108 were conducted in the F_6 (1985) and F_7 (1986). In the F_7 generation, 50 typical plants were selected to initiate purification for observable traits including reaction to race 1 of phytophthora root rot. In the F_8 (1987), M83-108 was entered in the Maturity Group I Preliminary Regional Soybean Test. In 1987, twenty-nine plant rows were grown for purification purposes. Twenty rows appeared uniform for plant and seed characteristics including resistance to race 1 of phytophthora root rot, therefore, seed of these rows were bulked to provide breeder's seed. In the F_9 (1988), F_{10} (1990), M83-108 was tested in the Uniform Regional Soybean Test Maturity Group I. In the F_9 (1988) a small increase of breeders seed was made. In the F_{10} (1989) foundation seed was produced by the Minnesota Foundation Seeds Organization. The foundation seed produced was shared with other states for increase. In the F_{11} (1990) seed was increased and M83-108 was approved for release as Leslie. On February 15, 1991, seed of Leslie was released to registered and/or certified growers in Minnesota and South Dakota. No off type variants were noted in the seed multiplication process of Leslie over three generations, thus the variety breeds true and meets certification standards.

9200019

Exhibit B

Novelty Statement

'Leslie' is most similar to 'Sturdy.' Leslie matures approximately two days earlier than Sturdy. Leslie is a late maturity group I variety and Sturdy is an early maturity group II variety. Sturdy has about two percent higher yield potential than Leslie. Leslie and Sturdy have similar plant heights. Seeds of Leslie are slightly larger than seeds of Sturdy but are slightly poorer in seed quality. Mature pods of Leslie are tan in color while mature pods of Sturdy are brown. Leslie has a slightly better lodging score than Sturdy. Leslie is susceptible to iron chlorosis on calcareous soil while Sturdy is resistant to iron chlorosis on calcareous soil. Leslie has a higher protein and a higher oil content than Sturdy.

Data comparing Leslie and Sturdy is taken from the Uniform Soybean Test I, Northern States 1988-1990 (a total of 45 tests for most traits).

Variety	Date mature	Yield bu/a	Height inches	Lodging score	Seed quality score	Seed size g/100	Protein %	Oil %
Leslie	9/20	45.7	34	1.5	2.1	18.2	39.7	21.7
Sturdy	9/22	46.9	34	1.6	1.8	18.1	39.4	21.3

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

EXHIBIT C
(Soybean)

PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY
SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Minnesota Agricultural Experiment Station	M83-108	Leslie

ADDRESS *(Street and No., or R.F.D. No., City, State, and Zip Code)*
University of Minnesota
220 Coffey Hall, 1420 Eckles Avenue
St. Paul, MN 55108

FOR OFFICIAL USE ONLY
PVPO NUMBER
9200019

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., [0][9]). Starred characters ★ are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available.

1. SEED SHAPE:

[2]



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)
2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)
4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

★ **2. SEED COAT COLOR: (Mature Seed)**

[1] 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other *(Specify)* _____

3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

[1] 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')

★ **4. SEED SIZE: (Mature Seed)**

[1][8] Grams per 100 seeds

★ **5. HILUM COLOR: (Mature Seed)**

[5] 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black 6 = Black 7 = Other *(Specify)* _____

★ **6. COTYLEDON COLOR: (Mature Seed)**

[1] 1 = Yellow 2 = Green

★ **7. SEED PROTEIN PEROXIDASE ACTIVITY:**

[2] 1 = Low 2 = High

★ **8. SEED PROTEIN ELECTROPHORETIC BAND:**

[2] 1 = Type A ($SP1^a$) 2 = Type B ($SP1^b$)

★ **9. HYPOCOTYL COLOR:**

[4] 1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

★ **10. LEAFLET SHAPE:**

[3] 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other *(Specify)* _____

9200019

11. LEAFLET SIZE:

[2] 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')

12. LEAF COLOR:

[2] 1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')

★ **13. FLOWER COLOR:**

[2] 1 = White 2 = Purple 3 = White with purple throat

★ **14. POD COLOR:**

[1] 1 = Tan 2 = Brown 3 = Black

★ **15. PLANT PUBESCENCE COLOR:**

[1] 1 = Gray 2 = Brown (Tawny)

16. PLANT TYPES:

[2] 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')

★ **17. PLANT HABIT:**

[3] 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

★ **18. MATURITY GROUP:**

[0][4] 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X

★ **19. DISEASE REACTION:** (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

BACTERIAL DISEASES:

★ [0] Bacterial Pustule *(Xanthomonas phaseoli* var. *sojensis)*

★ [0] Bacterial Blight *(Pseudomonas glycinea)*

★ [0] Wildfire *(Pseudomonas tabaci)*

FUNGAL DISEASES:

★ [0] Brown Spot *(Septoria glycines)*

Frogeye Leaf Spot *(Cercospora sojina)*

★ [0] Race 1 [ ] Race 2 [ ] Race 3 [ ] Race 4 [ ] Race 5 [ ] Other *(Specify)*

[0] Target Spot *(Corynespora cassiicola)*

[0] Downy Mildew *(Peronospora trifoliorum* var. *manshurica)*

[0] Powdery Mildew *(Microsphaera diffusa)*

★ [1] Brown Stem Rot *(Cephalosporium gregatum)*

[0] Stem Canker *(Diaporthe phaseolorum* var. *caulivora)*

5

9200019

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)

FUNGAL DISEASES: (Continued)

★ [0] Pod and Stem Blight *(Diaporthe phaseolorum* var; *sojae)*

[0] Purple Seed Stain *(Cercospora kikuchii)*

[0] Rhizoctonia Root Rot *(Rhizoctonia solani)*

Phytophthora Rot *(Phytophthora megasperma* var. *sojae)*

★ [2] Race 1 [2] Race 2 [0] Race 3 [1] Race 4 [0] Race 5 [0] Race 6 [1] Race 7

[0] Race 8 [0] Race 9 [ ] Other *(Specify)* _____

VIRAL DISEASES:

[0] Bud Blight (Tobacco Ringspot Virus)

[0] Yellow Mosaic (Bean Yellow Mosaic Virus)

★ [0] Cowpea Mosaic (Cowpea Chlorotic Virus)

[0] Pod Mottle (Bean Pod Mottle Virus)

★ [0] Seed Mottle (Soybean Mosaic Virus)

NEMATODE DISEASES:

Soybean Cyst Nematode *(Heterodera glycines)*

★ [0] Race 1 [0] Race 2 [1] Race 3 [0] Race 4 [ ] Other *(Specify)* _____

[0] Lance Nematode *(Hoplolaimus Colombus)*

★ [0] Southern Root Knot Nematode *(Meloidogyne incognita)*

★ [0] Northern Root Knot Nematode *(Meloidogyne Hapla)*

[0] Peanut Root Knot Nematode *(Meloidogyne arenaria)*

[0] Reniform Nematode *(Rotylenchulus reniformis)*

[0] OTHER DISEASE NOT ON FORM *(Specify):* _____

20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

★ [1] Iron Chlorosis on Calcareous Soil

[ ] Other *(Specify)* _____

21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

[0] Mexican Bean Beetle *(Epilachna varivestis)*

[0] Potato Leaf Hopper *(Empoasca fabae)*

[ ] Other *(Specify)* _____

22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	Kasota	Seed Coat Luster	Hardin
Leaf Shape	Kasota	Seed Size	Sibley
Leaf Color	Kasota	Seed Shape	Sibley
Leaf Size	Corsoy 79	Seedling Pigmentation	Hodgson 78

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/ POD
				CM Width	CM Length	% Protein	% Oil		
Leslie Submitted	126	1.5	86	9.1	11.6	39.7	21.7	18.2	2.4
Sibley Name of Similar Variety	123	1.8	84	8.8	11.9	39.7	21.6	17.5	2.3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A_2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

Exhibit E

Statement of the Basis of Ownership

The Minnesota Agricultural Experiment Station is the owner of Leslie soybean. The Minnesota Agricultural Experiment Station is the employer of the breeders who developed Leslie.